



AXELENT

Est 1990


F

Our Axelent Standard (F) storeroom system definitely belongs among our top sellers as the strength and security that this provides is often adequate enough. We have prepared for everything to run as smoothly as possible already at the design stage when the walls are on site and are to be installed.

- With extra robust tubular construction in the doors.
- Can be combined with the FK and FP systems.
- Can be cut to suit existing construction.
- Can be supplied with a roof for ceiling heights exceeding 3.5 metres.
- The walls are painted in RAL 9018.



PRODUCT FACTS

| Product | Size (mm) | Description |
|------------------|-----------|---------------------------|
| Vertical tubes | 19x19 | Tubular steel frame, door |
| Horizontal tubes | 15x15 | Tubular steel frame, wall |
| Vertical tubes | 30x20 | Tubular steel frame, door |
| Horizontal tubes | 25x15 | Tubular steel frame, door |
| Vertical wires | Ø 3 | Steel mesh |
| Horizontal wires | Ø 2,5 | Steel mesh |
| Dimensions | 50x65 | |
| 30-4225750(1) | 2000x710 | Door opening dimensions |
| 30-4275900(1) | 2000x860 | Door opening dimensions |










Models



Door 2 articles










| ARTICLES / DESCRIPTION | WIDTH (MM) | HEIGHT (MM) |
|---|------------|-------------|
|  30-4225750 Door | 750 | 2250 |
|  30-4225900 Door | 900 | 2250 |

Lock solutions 7 articles




| ARTICLES / DESCRIPTION |
|--|
|  34-00044 Padlock fitting (standard) |
|  34-00055 Reinforced padlock fitting with cover (optional) |
|  34-90000 Cylinder lock (optional). Recommended to use lock cases with hook bolt like Assa 310 & 410 and not to use knobs on the inside of the door |
|  XIT-L01-103 X-It cylinder lock, hinge door, left, System F |
|  XIT-R01-103 X-It cylinder lock, hinge door, right, System F |
|  XIT-L09-103 X-It Electric with escape release function, hinge door, left, System F |
|  XIT-R09-103 X-It Electric with escape release function, hinge door, right, System F |

Wall section 11 articles

| ARTICLES / DESCRIPTION | WIDTH (MM) | HEIGHT (MM) |
|--|------------|-------------|
|  30-2020 Wall section | 200 | 2250 |
|  30-2025 Wall section | 250 | 2250 |

| | | | |
|---|--------------------------------|------|------|
|  | 30-2035 Wall section | 350 | 2250 |
|  | 30-2040 Wall section | 400 | 2250 |
|  | 30-2055 Wall section | 550 | 2250 |
|  | 30-2060 Wall section | 600 | 2250 |
|  | 30-2080 Wall section | 800 | 2250 |
|  | 30-2100 Wall section | 1000 | 2250 |
|  | 30-2110 Wall section | 1100 | 2250 |
|  | 30-2120 Wall section | 1200 | 2250 |
|  | 30-2150 Wall section | 1500 | 2250 |

Accessories 3 articles

| ARTICLES / DESCRIPTION | WIDTH (MM) | HEIGHT (MM) |
|---|------------|-------------|
|  34-00110 Fittings for number patch, F/FK system | | |
|  34-00120 Shelf, double mounting. 1200x400 mm | | |
|  34-00130 Shelf, single mounting. 1200x400 mm | | |

Related products



MESH STOREROOM

Solid (FK)

It is in the details that quality comes to the fore. Our FK storeroom system has a heavy duty tubular design for both its doors and walls, which makes the system secure and stable. Try combining FK...

[21 articles](#)



MESH STOREROOM

Solid + (FK+)

SSF testing and approval now provides proof that Axelent's FK+ storeroom system can meet the toughest challenges. FK+ uses reinforced hinges, lock fittings, doors and walls. Security provided by Ax...

[16 articles](#)



SHEET METAL STOREROOM

Sheet metal - privacy protection (FP)

A storage area can reveal a great deal. Or nothing at all. We at Axelent can meet all storeroom requirements. Our FP system supplied not with mesh but with solid walls, is developed for spaces with...

[9 articles](#)