




AXELENT

Est 1990









Infill sheet metal fixed/adjustable

An infill sheet metal functions as a filler when a guard needs a certain width. Fixed infill pieces are available for all heights and in 40 and 70 mm widths. The adjustable infill piece covers gaps between 40 and 145 mm, offering greater flexibility. The 100 mm interval between our panels means less cutting of panels when an 'odd' gap needs to be filled. The standard colour is black (RAL 9011), but customised colours are available upon request.







Models

Fixed infill sheet metal 8 articles

ARTICLES / DESCRIPTION	HEIGHT X WIDTH (MM)	HEIGHT (MM)
 T02-3-07504	750x40	750
 T02-3-07507	750x70	750
 T02-3-13004	1300x40	1300
 T02-3-13007	1300x70	1300
 T02-3-19004	1900x40	1900
 T02-3-19007	1900x70	1900
 T02-3-22004	2200x40	2200
 T02-3-22007	2200x70	2200

Adjustable infill sheet metal 5 articles

ARTICLES / DESCRIPTION	HEIGHT X WIDTH (MM)	HEIGHT (MM)
 T05-3-07515 40-145 mm		750
 T05-3-13015 40-145 mm		1300
 T05-3-19015 40-145 mm		1900
 T05-3-22015 40-145 mm		2200



T05-3-24015
40-145 mm

2400
